

# LineMicro™





*Anna*



# So small, but yet so big.



## INDEX

<b>Technologies</b>	4 - 5
AIR.Plus - DRY.Plus - Baking Essentials - Protek.SAFE™	
<b>Electric convection ovens</b>	6
<b>Technical details &amp; Features</b>	7

# Technologies

## AIR.Plus

### Uniform baking without compromise.

Air is the medium for heat transmission and is therefore the means used to bake products.

The performance of air flow is fundamental to obtain baking uniformity in all points of the single tray and in all the trays.

For this reason the air flow inside the chamber plays a leading role in the design of all UNOX **LineMicro™** ovens.

**AIR.Plus** technology has been designed by UNOX to obtain perfect distribution of the air and heat inside the baking chamber.

At the end of the baking process, thanks to the **AIR.Plus** technology, the baked products have a uniform external color and their consistency remains intact for several hours.

## DRY.Plus

### Texture and shape. Crunchy outside, soft inside.

The presence of humidity during the last phases of the baking of leavened products can compromise the achievement of the desired result.

**DRY.Plus** technology allows the rapid extraction of the humidity from the baking chamber released by the food.

**DRY.Plus** technology ensures an optimal texture of the baked products: dry and well structured inside with a crisp and crumbly external surface.

## Baking Essentials

### Innovative and functional. Essential for your daily production.

As part of the UNOX research applied to the baking process particular attention has also been paid to the accessories and equipment needed to increase the versatility of the oven for everyday use.

There is a **Baking Essentials** solution for every type of product: from croissants to pizzas, from biscuits to salt cake.

The innovative **Baking Essentials** allow the operator to deal with all types of baking, which otherwise would only be possible with the use of additional professional equipment, for example traditional pizza ovens or static pastry ovens.



## Protek.SAFE™

### Safety and efficiency.

**Protek.SAFE™** technology is part of the **NON.STOP EFFORTS** program at UNOX with which the company commits to reduce the environmental impact of its products and the baking processes that take place within them to a minimum.

**Protek.SAFE™** eliminates unnecessary energy loss which in turn reduces energy consumption and contributes to the environmental compatibility of the baking processes performed in the **LineMicro™** ovens.

The unique design of the oven, the double glass door and the high isolation of the baking chamber ensure a minimum heat loss, an always perfect baking temperature and cool external surfaces for a safer and more efficient working environment.




- FAKIRO™  

- Black.Bake  

- Baguette  

- Black.Baguette  

# Electric convection ovens

## Manual 600x400



<b>Domenica</b>	<b>XF 043</b>	<b>XF 033</b>
Capacity	4 600x400	3 600x400
Pitch	75 mm	90 mm
Frequency	50 / 60 Hz	50 / 60 Hz
Voltage	230 V~ 1N / 400 V~ 3N	230 V~ 1N
Electrical power	3,2 / 5,3 kW	3,2 kW
Dimensions (WxDxH mm)	800x706x472	800x706x472
Weight	44 kg	44 kg

## Manual 460x330



<b>Anna</b>	<b>XF 023</b>
Capacity	4 460x330
Pitch	75 mm
Frequency	50 / 60 Hz
Voltage	230 V~ 1N
Electrical power	3 kW
Dimensions (WxDxH mm)	600x587x472
Weight	22 kg




<b>Lisa</b>	<b>XF 013</b>
Capacity	3 460x330
Pitch	70 mm
Frequency	50 / 60 Hz
Voltage	230 V~ 1N
Electrical power	2,7 kW
Dimensions (WxDxH mm)	600x587x402
Weight	20 kg

## Manual 342x242



<b>Roberta</b>	<b>XF 003</b>
Capacity	3 342x242
Pitch	70 mm
Frequency	50 / 60 Hz
Voltage	230 V~ 1N
Electrical power	2,7 kW
Dimensions (WxDxH mm)	480x523x402
Weight	16 kg

# Technical details



## Features

■ Standard

□ Optional

— Not available

### BAKING MODES

Convection baking 30 °C - 260 °C

■

### AIR DISTRIBUTION IN THE BAKING CHAMBER

**AIR.Plus** technology: fan with reversing gear on models 600x400 only

■

### CLIMA MANAGEMENT IN THE BAKING CHAMBER

**DRY.Plus** technology: high performance moisture and humidity extraction

■

### PANS

Flat aluminum pans (only for 460x330 and 342x242 models)

■

### AUXILIARY FUNCTIONS

**Protek.SAFE™** technology: maximum thermal efficiency and working safety (cool door glass and external surfaces)

■

Visualisation of the residual baking time

■

Continuous functioning «INF»

■

Visualisation of the set and real temperature values in the oven chamber

—

Temperature unit that can be set in °C or °F

—

### DOOR OPENING

Manual door opening from top to bottom

■

### TECHNICAL DETAILS

Rounded baking chamber made of high resistant ferritic steel for hygiene and ease of cleaning

■

Baking chamber lights

■

Light weight – heavy duty structure using innovative materials

■

Proximity door contact switch (only for 600x400 models)

■

Auto-diagnosys system for problems or brake down

—

Safety temperature switch

■

EUROPE

ITALY  
UNOX S.p.A.  
E-mail: info@unox.it  
Tel.: +39 049 86 57 513

CZECH REPUBLIC  
UNOX DISTRIBUTION s.r.o.  
E-mail: info.cz@unox.com  
Tel.: +420 241940 000

GERMANY  
DUEX HANDELS GMBH  
E-mail: info@unox-oefen.de  
Tel.: +49 295198760

RUSSIAN COUNTRIES  
UNOX RUSSIAN COUNTRIES  
E-mail: info.ru@unox.com  
Tel.: +7 985 33 77 597  
+7 915 397 48 38

FRANCE  
UNOX FRANCE s.a.s.  
E-mail: info@unox.fr  
Tel.: +33 4 78 17 35 39

TURKEY  
UNOX TURKEY  
E-mail: info.tr@unox.com  
Tel.: +90 530 176 62 03

UNITED KINGDOM  
UNOX UK Ltd  
E-mail: info@unoxuk.com  
Tel.: +44 1252 851522

PORTUGAL  
UNOX PORTUGAL  
E-mail: info.pt@unox.com  
Tel.: +351918 228 787

SPAIN  
UNOX ESPANA  
E-mail: info.es@unox.com  
Tel.: +34 900 82 89 43

SCANDINAVIAN COUNTRIES  
UNOX SCANDINAVIAN COUNTRIES  
E-mail: info.se@unox.com  
Tel.: +46 (0)768 716 422

AMERICA

U.S.A. & CANADA  
UNOX INC.  
E-mail: infousa@unox.com  
Tel.: +1 800 489 8669

ASIA

ASIA PACIFIC COUNTRIES  
UNOX (ASIA) SDN. BHD  
E-mail: info.asia@unox.com  
Tel.: +6 010 400 2700

OCEANIA

AUSTRALIA  
UNOX AUSTRALIA PTY LTD.  
E-mail: info@unoxaustralia.com.au  
Tel.: +613 9876 0803

AFRICA

SOUTH AFRICA  
UNOX SOUTH AFRICA  
E-mail: info.sa@unox.com  
Tel.: +27 845 05 52 35

INTERNATIONAL

UNOX S.p.A.  
E-mail: info@unox.com  
Tel.: +39 049 86 57 511

L11981A3 - Printed: 07-2014  
All images used are for illustrative purposes only.  
All features indicated in this catalogue may be subject to change and could be updated without notice.



UNOX S.p.A.  
Via Majorana, 22 - 35010 - Cadoneghe (PD) - Italy  
Tel.: +39 049 86.57.511 - Fax: +39 049 86.57.555  
info@unox.com www.unox.com

